

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213T 202.293.7060
F 202.293.7860

www.sughrue.com

RECEIVED
CENTRAL FAX CENTER

FEB 17 2006

FAX

Date February 17, 2006

To Examiner Julian D. HUFFMAN

Of PTO Group Art Unit 2853

Fax 571-273-8300 (Central Fax)

From Kelly G. Hyndman; Laura Moskowitz

Subject Response to Notice of Non-Compliant Amendment

Our Ref Q76423 Appln No 10/612,394

Conf No 3189 Inventors Hironori ENDO

Pages 12 (including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

This fax filing includes:

1. This cover sheet
2. Response to Notice of Non-Compliant Amendment

CERTIFICATION OF FACSIMILE TRANSMISSION

Sir:

I hereby certify that the above identified correspondence is being facsimile transmitted to Examiner Julian D. HUFFMAN at the Patent and Trademark Office on February 17, 2006 at 571-273-8300 (Central Fax).

Respectfully submitted,

Sue Pearce

RECEIVED
CENTRAL FAX CENTER

FEB 17 2006

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q76423

Hironori ENDO

Appln. No.: 10/612,394

Group Art Unit: 2853

Confirmation No.: 3189

Examiner: Julian D. HUFFMAN

Filed: July 03, 2003

For: LIQUID EJECTION CONTROL METHOD AND LIQUID EJECTION APPARATUS

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Notice of Non-Compliant Amendment dated February 9, 2006, please find enclosed the corrected section of the non-compliant Amendment, namely, the Amendments to the Claims section.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS	2
REMARKS	11